

ペチュニアの遺伝資源とその評価に関する研究

安 藤 敏 夫

2012

66 Matsubara, K., S. Kei, M. Koizumi, H. Kodama and **T. Ando** (2012) RNA silencing in white petunia flowers creates pigmentation patterns invisible to the human eye. *Journal of Plant Physiology* 169 (9): 920-923.

65 Morita Y, R. Saito, Y. Ban, N. Tanikawa, K. Kuchitsu, **T. Ando**, M. Yoshikawa, Y. Habu, Y. Ozeki and M. Nakayama. (2012) Tandemly arranged chalcone synthase A genes contribute to the spatially regulated expression of siRNA and the natural bicolor floral phenotype in *Petunia hybrida*. *Plant Journal* 70 (5): 739-49.

2010

64 Ishimizu, T., H. Kodama, **T. Ando** and M. Watanabe (2010) Molecular evidence that most RNAs required for germination and pollen tube growth are stored in the mature pollen grain in petunia. *Genes & Genetic Systems* 85: 259-263.

63 Kubo, K., T. Entani, A. Takara, N. Wang, A. M. Fields, Z. Hua, M. Toyoda, S. Kawashima, **T. Ando**, A. Isogai, T-h Kao and S. Takayama (2010) Collaborative non-self recognition system in S-RNase-based self-incompatibility. *Science* 330: 796-799.

62 Kanaya, T. H. Kokubun, H. Watanabe, G. Hashimoto, E. Marchesi, L. Bullrich and **T. Ando** (2010) Flowering ability of commercial *Calibrachoa* cultivars as compared to that of natural species. *Scientia Horticulturae* 126: 276-283.

61 Kanaya, T., H. Watanabe, H. Kokubun, K. Matsubara, G. Hashimoto, E. Marchesi, L. Bullrich and **T. Ando** (2010) Current status of commercial *Calibrachoa* cultivars as assessed by morphology and other traits. *Scientia Horticulturae* 123: 488-495.

2008

60 Matsubara, K., K. Shimamura, H. Kodama, H. Kokubun, H. Watanabe, I. L. Basualdo and **T. Ando** (2008) Green corolla-segments in a wild *Petunia* species caused by a mutation in *FBP2*, a *SEPALLATA*-like MADS box gene. *Planta* 228: 401-409.

59 Sagae, M., N. Oyama-Okubo, **T. Ando**, E. Marchesi and M. Nakayama (2008) Effects of temperature on the floral scent emission and endogenous volatile profile of *Petunia axillaris*. *Bioscience, Biotechnology, and Biochemistry* 72(1): 110-115.

2007

58 Shimamura, K., T. Ishimizu, K. Nishimura, K. Matsubara, H. Kodama, H. Watanabe, S. Hase and **T. Ando** (2007) Analysis of expressed sequence tags from *Petunia* flowers. *Plant Science* 173: 495-500.

57 Chen, S., K. Matsubara, H. Kokubun, H. Kodama, H. Watanabe, E. Marchesi and **T. Ando** (2007) Reconstructing historical events that occurred in the *Petunia Hf1* gene, which governs anthocyanin biosynthesis, and effects of artificial selection by breeding. *Breeding Science* 57: 203-211.

56 Chen, S., K. Matsubara, T. Otori, H. Kokubun, H. Kodama, H. Watanabe, G. Hashimoto, E. Marchesi, L. Bullrich and **T. Ando** (2007) Phylogenetic analysis of the genus *Petunia* (Solanaceae) based on the sequence of the *Hf1* gene. *Journal of Plant Research* 120: 385-397.

55 Kondo, M., N. Oyama-Okubo, M. Sagae, **T. Ando**, E. Marchesi and M. Nakayama (2007) Metabolic regulation of floral scent in *Petunia axillaris* lines: Biosynthetic relationship between dihydroconiferyl acetate and iso-eugenol. *Bioscience, Biotechnology, and Biochemistry* 71(2): 458-463.

54 Kokubun, H., H. Watanabe, N. Tanaka, T. Yukawa, G. Hashimoto, E. Marchesi, E. Suárez and **T. Ando** (2007) RFLP data of chloroplast DNA in the genus *Petunia sensu* Jussieu (Solanaceae). *HortResearch* 61: 41-51.

2006

53 Kondo, M., N. Oyama-Okubo, **T. Ando**, E. Marchesi and M. Nakayama (2006) Floral scent diversity is differently expressed in emitted and endogenous components in *Petunia axillaris* lines. *Annals of Botany* 98: 1253-1259.

52 Matsubara, K., S. Chen, J. Lee, H. Kodama, H. Kokubun, H. Watanabe and **T. Ando** (2006) PCR-based markers for the genotype identification of flavonoid-3', 5'-hydroxylase genes governing floral anthocyanin

biosynthesis in commercial petunias. *Breeding Science* 56: 389-397.

51 Kokubun, H., M. Nakano, T. Tsukamoto, H. Watanabe, G. Hashimoto, E. Marchesi, L. Bullrich, I. L. Basualdo, T-h. Kao and **T. Ando** (2006) Distribution of self-compatible and self-incompatible populations of *Petunia axillaris* (Solanaceae) outside Uruguay. *Journal of Plant Research* 119: 419-430.

50 Nakamura, K., K. Matsubara, H. Watanabe, H. Kokubun, Y. Ueda, N. Oyama-Okubo, M. Nakayama and **T. Ando** (2006) Identification of *Petunia hybrida* cultivars that diurnally emit floral fragrances. *Scientia Horticulturae* 108: 61-65.

2005

49 **Ando, T.**, S. Silvina and E. Suárez (2005) New records of *Petunia* (Solanaceae) for the Argentinean flora. *Darwiniana* 43(1-4): 64-68.

48 Tatsuzawa, F. and **T. Ando** (2005) Determination of minor floral anthocyanins in a red-flowered petunia. *Journal of Japanese Society for Horticultural Science* 74(6): 482-484.

47 **Ando, T.**, N. Ishikawa, H. Watanabe, H. Kokubun, Y. Yanagisawa, G. Hashimoto, E. Marchesi and E. Suárez (2005) A morphological study of the *Petunia integrifolia* complex (Solanaceae). *Annals of Botany* 96: 887-900.

46 Matsubara, M., H. Kodama, H. Kokubun, H. Watanabe and **T. Ando** (2005) Two novel transposable elements in a cytochrome P450 gene govern anthocyanin biosynthesis of commercial petunias. *Gene* 358: 121-126.

45 **Ando, T.**, H. Kokubun, H. Watanabe, N. Tanaka, T. Yukawa, G. Hashimoto, E. Marchesi, E. Suárez and I. L. Basulado (2005) Phylogenetic analysis of *Petunia sensu* Jussieu (Solanaceae) using chloroplast DNA RFLP. *Annals of Botany* 96: 289-297.

44 Tsukamoto, T., **T. Ando**, H. Watanabe, E. Marchesi and T-h. Kao (2005) Duplication of the *S*-locus F-box gene is associated with breakdown of pollen function in an *S*-haplotype identified in a natural population of self-incompatible *Petunia axillaris*. *Plant Molecular Biology* 57: 141-153.

43 Oyama-Okubo, N., **T. Ando**, N. Watanabe, E. Marchesi, K. Uchida and M. Nakayama (2005) Emission mechanism of floral scent in *Petunia axillaris*. *Bioscience, Biotechnology, and Biochemistry* 69(4): 773-777.

42 Nakajima, T., K. Matsubara, H. Kodama, H. Kokubun, H. Watanabe and **T. Ando** (2005) Insertion and excision of a transposable element governs the red floral phenotype in commercial petunias. *Theoretical and Applied Genetics* 110: 1038-1043.

2004

41 **Ando, T.**, M. Takahashi, T. Nakajima, Y. Toya, H. Watanabe, H. Kokubun and F. Tatsuzawa (2004) Delphinidin accumulation is associated with abnormal flower development in petunias. *Phytochemistry* 65: 2219-2227.

40 Tatsuzawa, F., Y. Toya, H. Watanabe, Y. Hirayama, K. Shinoda, R. Hara, H. Seki and **T. Ando** (2004) Acylated peonidin 3-rutinoside-5-glucosides from commercial petunia cultivars with pink flowers. *Heterocycles* 63(3): 509-517.

39 **Ando, T.** (2004) Records of plant exploration for South America conducted by the Laboratory of Ornamental Plant Science. Part II. From 1995 to 2001. Technical Bulletin of Faculty of Horticulture, Chiba University 58: 75-91.

38 Murakami, Y., Y. Fukui, H. Watanabe, H. Kokubun, Y. Toya and **T. Ando** (2004) Floral coloration and pigmentation in *Calibrachoa* cultivars. *Journal of Horticultural Science & Biotechnology* 79(1): 47-53.

2003

37 **Ando, T.** (2003) Records of plant exploration for South America conducted by the Laboratory of Ornamental Plant Science. Part I. From 1988 to 1994. Technical Bulletin of Faculty of Horticulture, Chiba University 57: 121-135.

36 Tsukamoto, T., **T. Ando**, K. Takahashi, T. Omori, H. Watanabe, H. Kokubun, E. Marchesi and T-h. Kao (2003) Breakdown of self-incompatibility in a natural population of *Petunia axillaris* caused by loss of pollen function. *Plant Physiology* 131:1903-1912.

35 Murakami, Y., Y. Fukui, H. Watanabe, H. Kokubun, Y. Toya and **T. Ando** (2003) Distribution of carotenoids in the flower of non-yellow commercial petunia. *Journal of Horticultural Science & Biotechnology* 78(2): 127-130.

34 Tsukamoto, T., **T. Ando**, H. Kokubun, H. Watanabe, T. Sato, M. Masada, E. Marchesi and T-h. Kao (2003) Breakdown of self-incompatibility in a natural population of *Petunia axillaris* caused by a modifier locus that suppresses the expression of an S-RNase gene. *Sexual Plant Reproduction* 15: 255-263.

2002

33 Akita, K., T. Ishimizu, T. Tsukamoto, **T. Ando** and S. Hase (2002) Successive glycosyltransfer activity and enzymatic characterization of pectic polygalacturonate 4- α -galacturonosyltransferase solubilized from pollen tubes of *Petunia axillaris* using pyridylaminated oligogalacturonates as substrates. *Plant Physiology* 130: 374-379.

32 Tsukamoto, T., **T. Ando**, H. Watanabe, H. Kokubun, G. Hashimoto, U. Sakazaki, E. Suárez, E. Marchesi, K. Oyama and T.-h. Kao (2002) Differentiation in the status of self-incompatibility among *Calibrachoa* species (Solanaceae). *Journal of Plant Research* 115 (3): 185-193.

31 Kokubun, H., **T. Ando**, S. Kohyama, H. Watanabe, T. Tsukamoto and E. Marchesi (2002) Variations of several morphological characters of *Petunia axillaris* in Uruguay. *Journal of the Japanese Society for Horticultural Science* 71(1): 26-39.

2001

30 **Ando, T.**, M. Nomura, J. Tsukahara, H. Watanabe, H. Kokubun, T. Tsukamoto, G. Hashimoto, E. Marchesi and I. J. Kitching (2001) Reproductive isolation in a native population of *Petunia sensu* Jussieu (Solanaceae). *Annals of Botany* 88(3): 403-413.

29 Wang, X., A. L. Hughes, T. Tsukamoto, **T. Ando** and T.-h. Kao (2001) Evidence that intragenic recombination contributes to allelic diversity of the S-RNase gene at the self-incompatibility (S) locus in *Petunia inflata*. *Plant Physiology* 125: 1012-1022.

28 Watanabe, H., **T. Ando**, T. Tsukamoto, G. Hashimoto and E. Marchesi (2001) Cross-compatibility of *Petunia exserta* with other taxa. *Journal of the Japanese Society for Horticultural Science* 70(1): 33-40.

2000

27 Tatsuzawa, F., **T. Ando**, N. Saito, T. Kanaya, H. Kokubun, Y. Tsunashima, H. Watanabe, G. Hashimoto, R. Hara and H. Seki (2000) Acylated delphinidin 3-rutinoside-5-glucosides in the flowers of *Petunia reitzii*. *Phytochemistry* 54(8): 913-917.

26 **Ando, T.**, F. Tatsuzawa, N. Saito, M. Takahashi, Y. Tsunashima, H. Numajiri, H. Watanabe, H. Kokubun, R. Hara, H. Seki and G. Hashimoto (2000) Differences in the floral anthocyanin content of red petunias and *Petunia exserta*. *Phytochemistry* 54(5): 495-501.

25 Mishiba, K., **T. Ando**, M. Mii, H. Watanabe, H. Kokubun, G. Hashimoto and E. Marchesi (2000) Nuclear DNA content as an index character discriminating taxa in the genus *Petunia sensu* Jussieu (Solanaceae). *Annals of Botany* 85(5): 665-673.

24 Dowd, P. E., A. G. McCubbin, X. Wang, J. A. Verica, T. Tsukamoto, **T. Ando** and T.-h. Kao (2000) Use of *Petunia inflata* as a model for the study of solanaceous type self-incompatibility. *Annals of Botany* 85 (Supplement A): 87-93.

1999

23 Kokubun, H., **T. Ando**, H. Watanabe, T. Tsukamoto and E. Marchesi (1999) Floral morphology of F1 and F2 progenies between two subspecies of *Petunia axillaris* (Solanaceae). *Acta Phytotaxonomica et Geobotanica* 50: 207-219.

22 Tatsuzawa, F., **T. Ando**, N. Saito, K. Yoda, H. Kokubun, H. Watanabe, G. Hashimoto, K. Asakura, R. Hara and H. Seki (1999) Acylated malvidin 3-rutinosides in dusky violet flowers of *Petunia integrifolia* subsp. *inflata*. *Phytochemistry* 52: 351-355.

21 Watanabe, H., **T. Ando**, E. Nishino, H. Kokubun, T. Tsukamoto, G. Hashimoto and E. Marchesi (1999) Three groups of species in *Petunia sensu* Jussieu (Solanaceae) inferred from the intact seed morphology. *American Journal of Botany* 86: 302-305.

20 **Ando, T.**, N. Saito, F. Tatsuzawa, T. Kakefuda, K. Yamakage, E. Ohtani, M. Koshi-ishi, Y. Matsusake, H. Kokubun, H. Watanabe, T. Tsukamoto, Y. Ueda, G. Hashimoto and E. Marchesi (1999) HPLC profiles of floral anthocyanins in the native taxa of *Petunia* (Solanaceae). *Technical Bulletin of Faculty of Horticulture Chiba University*. 53: 135-144.

19 Tsukamoto, T., **T. Ando**, H. Kokubun, H. Watanabe, M. Masada, X. Zhu, E. Marchesi and T.-h. Kao (1999) Breakdown of self-incompatibility in a natural population of *Petunia axillaris* (Solanaceae) in Uruguay containing both self-incompatible and self-compatible plants. *Sexual Plant Reproduction* 12: 6-13.

18 **Ando, T.**, N. Saito, F. Tatsuzawa, T. Kakefuda, K. Yamakage, E. Ohtani, M. Koshi-ishi, Y. Matsusake, H. Kokubun, H. Watanabe, T. Tsukamoto, Y. Ueda, G. Hashimoto, E. Marchesi, K. Asakura, R. Hara and H. Seki (1999) Floral anthocyanins in wild taxa of *Petunia* (Solanaceae). *Biochemical Systematics and Ecology* 27: 623-650.

1998

17 Tsukamoto, T., **T. Ando**, M. Kurata, H. Watanabe, H. Kokubun, G. Hashimoto and E. Marchesi (1998) Resurrection of *Petunia occidentalis* R. E. Fr. (Solanaceae) inferred from a cross compatibility study. The Journal of Japanese Botany 73: 15-21.

16 Tsukamoto, T., **T. Ando**, H. Kokubun, H. Watanabe, R. Tanaka, G. Hashimoto, E. Marchesi and T.-h. Kao (1998) Differentiation in the status of self-incompatibility among all natural taxa of *Petunia* (Solanaceae). Acta Phytotaxonomica et Geobotanica 49: 115-133.

15 **Ando, T.**, T. Tsukamoto, N. Akiba, H. Kokubun, H. Watanabe, Y. Ueda and E. Marchesi (1998) Differentiation in the degree of self-incompatibility in *Petunia axillaris* (Solanaceae) occurring in Uruguay. Acta Phytotaxonomica et Geobotanica 49: 37-47.

14 **Ando, T.** and G. Hashimoto (1998) Two new species of *Petunia* (Solanaceae) from southern Rio Grande do Sul, Brazil. Brittonia 50: 483-492.

1997

13 Tatsuzawa, F., M. Koshi-ishi, F. Ohtani, **T. Ando**, H. Watanabe, H. Kokubun, M. Yokoi, G. Hashimoto, H. Seki, N. Saito, and T. Honda (1997) Diacylated Malvidin 3-rutinoside-5-glucosides from the flowers of *Petunia guarapuavensis*. Heterocycles 45: 1197-1202.

12 Kokubun, H., **T. Ando**, S. Kohyama, H. Watanabe, T. Tsukamoto and E. Marchesi (1997) Distribution of intermediate forms of *Petunia axillaris* subsp. *axillaris* and subsp. *parodii* (Solanaceae) in Uruguay as revealed by discriminant analysis. Acta Phytotaxonomica et Geobotanica 48: 173-185.

11 Watanabe, H., **T. Ando**, S. Iida, A. Suzuki, K. Buto, T. Tsukamoto, H. Kokubun, G. Hashimoto and E. Marchesi (1997) Cross compatibility of *Petunia pubescens* and *P. pygmaea* with native taxa of *Petunia*. Journal of the Japanese Society for Horticultural Science 66: 607-612.

1996

10 **Ando, T.** (1996) Distribution of *Petunia axillaris* (Solanaceae) and its new subspecies in Argentina and Bolivia. Acta Phytotaxonomica et Geobotanica 47: 19-30.

09 **Ando, T.** and G. Hashimoto (1996) A new Brazilian species of *Petunia* (Solanaceae) from interior Santa Catarina and Rio Grande do Sul, Brazil. Brittonia 48: 217-223.

08 Watanabe, H., **T. Ando**, S. Iida, A. Suzuki, K. Buto, T. Tsukamoto, G. Hashimoto and E. Marchesi (1996) Cross compatibility of *Petunia* cultivars and *P. axillaris* with native taxa of *Petunia* in relation to their chromosome number. Journal of the Japanese Society for Horticultural Science 65: 625-634.

1995

07 **Ando, T.** and G. Hashimoto (1995) *Petunia guarapuavensis* (Solanaceae): A new species from Planalto of Paraná and Santa Catarina, Brazil. Brittonia 47: 328-334.

06 **Ando, T.**, S. Iida, H. Kokubun, Y. Ueda and E. Marchesi (1995) Distribution of *Petunia axillaris sensu lato* in Uruguay as revealed by discriminant analysis of live plants. Journal of the Japanese Society for Horticultural Science 64: 381-391.

05 **Ando, T.**, M. Kurata, S. Sasaki, Y. Ueda, G. Hashimoto and E. Marchesi (1995) Comparative morphological studies on infraspecific taxa of *Petunia integrifolia* (Hook.) Schinz et Thell. (Solanaceae). The Journal of Japanese Botany 70: 205-217.

1994

04 **Ando, T.** and G. Hashimoto (1994) A new Brazilian species of *Petunia* (Solanaceae) from the Serra da Mantiqueira. Brittonia 46: 340-343.

03 **Ando, T.**, S. Iida, H. Kokubun, Y. Ueda and E. Marchesi (1994) Distribution of infraspecific taxa of *Petunia axillaris* (Solanaceae) in Uruguay as revealed by discriminant analyses. Acta Phytotaxonomica et Geobotanica 45: 95-109.

1993

02 **Ando, T.** and G. Hashimoto (1993) Two new species of *Petunia* (Solanaceae) from southern Brazil. Botanical Journal of the Linnean Society 111: 265-280.

1992

01 **Ando, T.**, Y. Ueda and G. Hashimoto (1992) Historical survey and present status of systematics in the genus *Petunia* Jussieu (Solanaceae). Technical Bulletin of Faculty of Horticulture Chiba University 45: 17-26.